

March 27, 1996


Ms. Liza I. Montalvo
Remedial Project Manager
Kentucky/Tennessee Section
U. S. EPA
Region IV
345 Courtland Street, N. E.
Atlanta, GA 30365

Re: Results of Air Quality Monitoring - FY 95 Fourth Quarter (FY95-4Q), (Event No. 11) Lees' Lane Superfund Site, Jefferson County, Kentucky Administrative Order on Consent, U. S. EPA Docket No. 91-32-C

Dear Ms. Montalvo:

In accordance with paragraph 11, under, <u>Reporting Requirement</u>, of the subject Consent Order and Attachment I, Operation and Maintenance Plan for Post-Removal Site Control at the Lees' Lane Landfill Site, Section 4.2, <u>Air Quality Monitoring</u>, attached for your information and files is one photocopy each of the following items, prepared by Radian Corporation, P. O. Box 13000, Research Triangle Park, North Carolina 27709, as received by MSD on March 5, 1996.

- 1. Radian Corporation letter, dated March 12, 1996, 2 pages.
- 2. Figure 1, Lees' Lane Landfill, Sampling Locations, 1 page.
- 3. Table 1, TO-14 Data Summary for Ambient Air Samples at the Lees' Lane Landfill, Sampling date: 6/28/95, 1 page.
- 4. Table 2, On-Site Meteorological Data, 6/28/95 1 page.
- 5. Table 3, TO-14 Data Summary for Gas Monitoring Well Samples at Lee's Lane Landfill, Louisville, KY, Sampling Date: 6/28/95, 1 page.





Ms. Lisa Montalvo March 27, 1996 Page 2

Please advise if you have any questions concerning these sampling arrangements.

Sincerely,

Carl A. Neumayer

Director of Operations

CAN/dc CAN3-1H

cc: Mr. Jeff Pratt, KNREPC,

Division of Waste Management

Mr. Rick Hogan, KNREPC

Division of Waste Management

G. R. Garner, Executive Director

File: WD-2 (Lees' Lane M & M Quarterly)



March 12, 1996

(Shipping) 1600 Perimeter Park Drive Morrisville, NC 27560 (Mailing) P.O. Box 13000 Research Triangle Park, NC 27709 (919) 461-1100

Mr. Dan Sammons Chief Chemist Louisville Metropolitan Sewer District 4522 Algonquin Parkway Louisville, Kentucky 40211

RE:

Revised 2nd Quarter 1995 Report

Dear Dan:

Enclosed is the summary analytical report for the ambient and gas monitoring well samples collected at the Lee's Lane Landfill site on June 28, 1995.

A map of the site, labelled with the sample collection locations for your reference, is shown in Figure 1. Table 1 is a tabular summary for the ambient sample with the primary analytes required for submission to EPA. All primary analytes are at typical ambient levels.

The monitoring sites for this quarterly collection were chosen based on a combination of prevailing on-site meteorology and available sites in the adjacent residential neighborhood per the standard sampling protocol. It was warm and sunny for most of the monitoring day with a slight northerly breeze. Hourly readings of meteorological data including wind speed and direction were recorded at the Standiford Field Airport National Weather Service station. The meteorological data is summarized in Table 2. The ambient samples were collected 3-5 feet above ground level. The ambient samples collected were integrated over a 7-8 hour collection period in Summa® canisters.

The methane analysis was performed by GC/FID on a separate analytical system prior to the TO-14 analysis at Radian's Perimeter Park Laboratory. The TO-14 analytical methodology using Gas Chromatography/Mass Spectrometry (GC/MS) was employed. Samples were handled with standard laboratory chain-of-custody procedures. Sample canisters and flow controllers were cleaned and blanked using Method TO-12 for total nonmethane hydrocarbons prior to field deployment. All ambient and gas well samples were successfully analyzed for methane and the TO-14 target analytes. No analytical difficulties were experienced with the gas well samples.

Table 3 is a tabular summary of the gas well samples with the primary analytes required for submission to EPA. Each set of gas monitoring wells was screened with field monitors (OVA-128, combustible gas meter, and PhotoTip). The values for methane were recorded by the OVA-128. The OVA values were used to select the wellhead (R or L) for collection of the canister sample.



Page 2 Mr. Dan Sammons March 12, 1996

The laboratory determined methane results are consistent for all the ambient air and the gas monitoring wells samples. The average ambient level of methane measured was 3.18 ppmv, while the methane level measured in the gas wells ranged from less than 2.94 to 3.99 ppmv. All field measurements from the OVA, Hnu, PhotoTip, and TMX were below the detection limit of each instrument. The laboratory determined methane values are higher than the field values due to the inherently greater analytical sensitivity. The laboratory measured methane results are consistent with results from the past sampling periods.

With the exception of the primary target analytes, very few TO-14 compounds were detected in either the ambient or gas well samples. Benzene, toluene, and xylene were detected in all 12 field samples. A relatively high methylene chloride concentration (5.53 ppmv) was detected in a residential ambient air sample. All other ambient and well samples were at normal levels for methylene chloride.

Radian appreciates the opportunity to assist your staff with this project. Please advise me at (919) 461-1242 if you have any questions.

Sincerely,

Robert F. Jongleux Project Director

LMSD/Task 11

Attachments

cc: G.A. Holliden, Radian/LOU Jay A. Snyder, Radian/RDU




Figure 1. Lees Lane Landfill Sampling Locations

Not to scale.

TABLE 1

TO-14 DATA SUMMARY FOR AMBIENT AIR SAMPLES AT THE LEES'S LANE LANDFILL LOUISVILLE, KENTUCKY

SAMPLING DATE:

06/28/95

Sample ID	AS-U1	AS-A1	AS-A2	AS-R1	AS-R2	AS-R3		
Canister ID	A141752	A127734	A127724	A167612	A127721	A141750		
Location	Upwind	Downwind	Downwind	Residential	Residential	Residential		
Dilution Factor	.7837	.7338	.8514	.5027	.7826	.8048		
Compound (conc. in ppbv)								
Benzene	0.10	0.11	0.12	0.08	0.12	0.11		
Toluene	0.55	0.30	0.32	0.23	0.36	0.35		
Xylene (total)	0.14	0.14	0.20	0.13	0.19	0.26		
Methylene Chloride	0.66	0.34	0.06	5.53	0.52	0.56		
Vinyl Chloride	<0.01	<0.01	<0.01	< 0.01	<0.01	< 0.01		
Methane (ppm)	3.05	3.38	3.29	3.29	2.94	3.11		

Note: less than values indicate compound was at or below the analytical detection limit.

TABLE 2 ON-SITE METEOROLOGICAL DATA JUNE 28, 1995

Time	Barometric Pressure (in Hg)	Temperature ^a	Dewpoint ^a (°F)	Wind Direction From	Wind Speed (mph)	Observations
8:00	29.42	75	71	180°	12	Overcast
9:00	29.44	79	73	210°	8	Scattered Clouds
10:00	29.44	82	74	180°	15	Scattered Clouds
11:00	29.44	84	74	180°	8	Scattered Clouds
12:00	29.43	86	75	210°	9	Scattered Clouds
13:00	29.43	87	75	180°	8	Scattered Clouds
14:00	29.44	86	75	190°	12	Scattered Clouds
15:00	29.44	85	76	220°	12	Scattered Clouds
16:00	29.44	- 88	76	230°	14	Scattered Clouds
17:00	29.44	88	76	270°	12	Scattered Clouds

^aHumidity was not available from National Weather Service.
** Compiled by LMSD personnel at Lee's Lane Landfill Site **

TABLE 3

TO-14 DATA SUMMARY FOR GAS MONITORING WELL SAMPLES AT THE LEE'S LANE LANDFILL LOUISVILLE, KENTUCKY

SAMPLING DATE:

06/28/95

Sample ID ^a	AS-G1L	AS-G2L	AS-G3L	AS-G4R b	AS-G5LV	AS-G5L	FBL
Canister ID	A127727	A127732	A127729	A127733	A141767	A141754	A141762
Dilution Factor	.8670	.8578	.8292		.8210	.8500	1
Orifice	D-B1	D-33	D-6	D-104	D-3	D-8	
Compound (conc. in ppbv)							
Benzene	0.21	0.13	0.10		0.12	0.27	0.01
Toluene	1.72	0.58	0.42		0.57	1.88	0.08
Xylene (total)	0.76	0.45	0.31		0.32	1.26	<0.01
Methylene Chloride	0.54	0.05	0.05		0.05	0.20	<0.01
Vinyl Chloride	<0.01	<0.01	<0.01		< 0.01	< 0.01	<0.01
Methane (ppm)	2.85	2.94	2.90		3.99	3.01	ND

^aWells have been painted, covering shallow and deep designations, therefore, right (R) and left (L) designations used for identification. ^bWell No. 4 was not sampled.

Note: Less than values indicate compound was at or below the detection limit